# NORR TAMPA

# NOAA - National Weather Service


Tampa Bay Area 2525 14th Avenue SE, Ruskin, Florida 33570 813-645-2323 https://weather.gov/tampabay

# August and Summer 2021 Climate Summary for West Central and Southwest Florida

For August and for the Summer (June/July/August) temperatures across West Central and Southwest Florida ranged from about  $1^{\circ}$  below normal to  $2^{\circ}$  above normal, with several of the warmer sites ending up in the Top Ten Warmest.


#### AUGUST TEMPERATURE RANKINGS (°F):

	August 2021		Normal	Dep fm	Records
Location	Rank Avg	Temp	Aug Temp	Normal	Began
Plant City	2nd Warmest(tie)	85.4°	83.6°	+1.8°	Sep 1892
Tampa Area	3rd Warmest(tie)	85.0°	84.0°	+1.0°	Apr 1890
St Petersburg Area	9th Warmest(tie)	84.8°	84.0°	+0.8°	Aug 1914
Lakeland Area	3rd Warmest(tie)	84.4°	83.3°	+1.1°	Jan 1915
Winter Haven Area	10th Warmest(tie)	84.4°	84.1°	+0.3°	Mar 1941
Punta Gorda Area	9th Warmest	84.1°	83.5°	+0.6°	May 1914
Fort Myers Area	12th Warmest(tie)	84.0°	83.4°	+0.6°	Jan 1902
Sarasota-Bradenton Area	12th Warmest(tie)	83.4°	83.4°	0.0°	Jan 1911
Tarpon Springs	29th Warmest	83.3°	83.3°	0.0°	Jan 1892
Bartow	25th Warmest(tie)	83.1°	82.3°	+0.8°	Jun 1892
Inverness 3 SE	13th Warmest	82.8°	80.7°	+2.1°	Jul 1948
Brooksville Area	12th Warmest(tie)	82.7°	81.5°	+1.2°	Jan 1892
Wauchula 2 N	17th Warmest(tie)	82.7°	82.3°	+0.4°	Jan 1933
St. Leo	22nd Warmest(tie)	82.6°	81.4°	+1.2°	Apr 1895
Venice	26th Warmest(tie)	82.6°	83.1°	-0.5°	May 1955
Chiefland 5 ESE	12th Warmest(tie)	82.1°	80.8°	+1.3°	Jul 1956
Myakka River St. Pk	20th Coolest	82.0°	83.1°	-1.1°	Mar 1956
Archbold Bio Stn	13th Warmest(tie)	82.0°	82.1°	-0.1°	Jan 1969



# SUMMER TEMPERATURE RANKINGS (°F):

	Summer 2	021	Normal	Dep fm	Records
Location	Rank	Avg Temp	Sum Temp	Normal	Began
			0.0.00	0	- 1000
Plant City	2nd Warmest(t		83.2°	+1.4°	Sep 1892
Tampa Area	2nd Warmest	84.6°	83.6°	+1.0°	Apr 1890
St Petersburg Area	11th Warmest(t	ie) 84.0°	83.5°	+0.5°	Aug 1914
Lakeland Area	8th Warmest(t	ie) 83.5°	82.8°	+0.7°	Jan 1915
Winter Haven Area	8th Warmest	83.5°	83.8°	-0.3°	Mar 1941
Fort Myers Area	7th Warmest(t	ie) 83.7°	83.0°	+0.7°	Jan 1902
Punta Gorda Area	10th Warmest(t		82.8°	+0.4°	May 1914
Sarasota-Bradenton Area	8th Warmest	82.9°	82.8°	+0.1°	Jan 1911
Inverness 3 SE	13th Warmest(t	ie) 82.3°	80.4°	+1.9°	Jul 1948
Bartow	34th Warmest(t	ie) 82.3°	81.9°	+0.4°	Jun 1892
Venice	26th Warmest	82.1°	82.5°	-0.4°	May 1955
Tarpon Springs	41st Warmest(t	ie) 82.1°	82.8°	-0.7°	Jan 1892
Brooksville Area	12th Warmest	81.9°	80.9°	+1.0°	Jan 1892
St. Leo	36th Warmest(t	ie) 81.9°	81.0°	+0.9°	Apr 1895
Wauchula 2 N	28th Warmest(t	ie) 81.7°	81.6°	+0.1°	Jan 1933
Chiefland 5 ESE	9th Warmest	81.5°	80.2°	+1.3°	Jul 1956
Archbold Bio Stn	13th Warmest(t	ie) 81.3°	81.4°	-0.1°	Jan 1969
Myakka River St. Pk	18th Coolest	81.2°	82.3°	-1.1°	Mar 1956




Graphics Source: NOAA Regional Climate Centers


As for rainfall it was variable across the region with amounts ranging from as little as 3.5 inches over the central inland areas to over 14 inches across parts of the Nature Coast in August, while summer (June/July/August) totals ranged from as little as about 17 inches to over 45 inches.

# AUGUST RAINFALL RANKINGS (inches):

	August	2021	Normal	Dep fm	Records
Location	Rank	Rain Total	Aug Rain	Normal	Began
Inverness 3 SE	6th Wettest	14.46	8.69	+5.77	Jul 1948
Tarpon Springs	33rd Wettest	11.25	9.66	+1.59	Jan 1892
Fort Myers Area	32nd Wettest	10.72	10.43	+0.29	Jan 1902
Chiefland 5 ESE	27th Wettest	10.50	9.87	+0.63	Jul 1956
Brooksville Area	43rd Wettest	9.44	8.12	+1.32	Jan 1892
Sarasota-Bradenton Area	42nd Wettest	9.33	9.11	+0.22	Jan 1911
Punta Gorda Area	72nd Driest	8.86	9.11	-0.25	May 1914
Venice	25th Wettest	8.63	8.34	+0.29	May 1955
Myakka River St. Pk.	37th Driest	8.12	10.12	-2.00	Sep 1943
Archbold Bio Stn	30th Driest	8.05	8.49	-0.44	Jan 1969
Tampa Area	58th Driest	7.43	9.03	-1.60	Apr 1890
Wauchula 2 N	42nd Driest	7.04	8.46	-1.42	Jan 1933
St. Leo	51st Driest	6.98	8.28	-1.30	Apr 1895
St. Petersburg Area	43rd Driest	6.64	8.39	-1.75	Aug 1914
Lakeland Area	7th Driest	4.22	9.08	-4.86	Jan 1915
Bartow	10th Driest	4.22	7.78	-3.56	Jun 1892
Plant City	4th Driest	3.88	8.85	-4.97	Feb 1893
Winter Haven Area	9th Driest	3.88	6.52	-2.64	Mar 1941



August 2021 Total Rainfall




August 2021 Percent of Normal


Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

# SUMMER RAINFALL RANKINGS (inches):

	Summer	2021	Normal	Dep fm	Records
Location	Rank	Rain Total	Sum Rain	Normal	Began
Inverness 3 SE	1st Wettest	45.89	24.62	+21.27	Jul 1948
Punta Gorda Area	7th Wettest	34.55	26.41	+8.14	May 1914
Brooksville Area	19th Wettest	32.22	25.44	+6.78	Jan 1892
Fort Myers Area	29th Wettest	31.16	29.47	+1.69	Jan 1902
St. Leo	15th Wettest	30.76	24.72	+6.04	Apr 1895
Tarpon Springs	24th Wettest	29.76	25.77	+3.99	Jan 1892
Chiefland 5 ESE	20th Wettest	28.97	26.22	+2.75	Jul 1956
Sarasota-Bradenton Area	28th Wettest	28.91	23.55	+5.36	Jan 1911
Tampa Area	31st Wettest	27.33	24.15	+3.18	Apr 1890
Wauchula 2 N	33rd Wettest	26.49	24.61	+1.88	Jan 1933
Myakka River St. Pk.	40th Driest	26.21	29.88	-3.67	Sep 1943
Archbold Bio Stn	35th Driest	25.40	25.68	-0.28	Jan 1969
Bartow	54th Wettest	25.02	23.62	+1.40	Jun 1892
Plant City	63rd Driest	24.94	27.21	-2.27	Feb 1893
Venice	22nd Wettest	23.65	23.54	+0.11	May 1955
Lakeland Area	53rd Driest	22.52	26.62	-4.10	Jan 1915
Winter Haven Area	29th Driest	19.76	21.32	-1.56	Mar 1941
St. Petersburg Area	23rd Driest	17.01	22.67	-5.66	Aug 1914



Summer 2021 Total Rainfall June 1 - August 31, 2021



Summer 2021 Percent of Normal June 1 - August 31, 2021

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest August's and Summers at some official NWS locations, which includes the average/total for this August and Summer where available, as well as the 1991-2020 Normal (average) temperature and rainfall for these time periods.

#### CHIEFLAND 5 ESE (records began in July 1956):

Wa	rmest August's	Cooles	t August's	We	ttest August's	Dr	iest August's
1	83.4 in 1980	1 78.	3 in 1969	1	20.44 in 1971	1	3.17 in 1980
2	82.9 in 2020	2 78.	9 in 1967	2	17.10 in 1986	2	3.71 in 1973
	82.9 in 2018	3 79.	o in 1994	3	16.59 in 1985	3	3.97 in 2000
4	82.8 in 1999	4 79.	3 in 2008	4	16.44 in 2015	4	4.06 in 1956
5	82.7 in 2016	5 79.	4 in 1996	5	14.61 in 1988	5	5.28 in 2014
6	82.6 in 2015	6 79.	5 in 2003	6	14.55 in 1961	6	5.39 in 2009
7	82.5 in 2011	79.	5 in 2002	7	14.43 in 1979	7	5.50 in 1963
	82.5 in 1987	79.	5 in 1979	8	14.33 in 2010	8	5.51 in 1976
9	82.3 in 2014	9 79.	7 in 2004		14.33 in 1966	9	5.72 in 1987
10	82.2 in 2007	79.	7 in 1966	10	14.23 in 1968	10	5.88 in 1989
	82.2 in 1998						
12	82.1 in 2021			27	10.50 in 2021	38	10.50 in 2021

Normal August Temp at CHIF1 =  $80.8^{\circ}$ Normal August Rain at CHIF1 = 9.87 in.

-----

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 82.9 in 2016	1 79.0 in 1965	1 37.95 in 2012	1 15.28 in 1973
2 82.6 in 1998	2 79.1 in 1974	2 36.55 in 2019	2 15.58 in 2014
3 82.5 in 2015	79.1 in 1966	3 36.38 in 2001	3 18.48 in 1969
4 82.0 in 2018	4 79.2 in 1969	4 35.41 in 1965	4 18.49 in 1972
5 81.9 in 2017	5 79.4 in 2008	5 34.90 in 2018	5 18.54 in 2006
6 81.8 in 2020	79.4 in 2002	6 34.89 in 1964	6 18.76 in 1998
7 81.7 in 2011	79.4 in 1994	7 34.88 in 2003	7 19.05 in 2011
8 81.6 in 1999	79.4 in 1972	8 34.30 in 2013	8 19.17 in 1977
9 81.5 in 2021	9 79.5 in 1979	9 34.21 in 1974	9 19.48 in 1993
10 81.4 in 2019	79.5 in 1963	10 33.23 in 1988	10 19.57 in 2007
		• • •	• • •
		20 28.97 in 2021	42 28.97 in 2021

Normal Summer Temp at CHIF1 =  $80.2^{\circ}$ Normal Summer Rain at CHIF1 = 26.22 in.

\_\_\_\_\_\_

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

# INVERNESS 3 SE (records began in July 1948):

Wai	rmest August's	Coole	st August's	We	ttest Augus	st's Dr	riest August's
1	84.4 in 2011	1 78	.1 in 1994	1	16.70 in 1	1949 1	1.77 in 1963
2	84.0 in 2010	2 78	.5 in 2004	2	16.58 in 2	2008 2	2.43 in 1993
3	83.7 in 1954	3 79	.8 in 1997	3	16.19 in 1	1961 3	3.08 in 2013
4	83.4 in 1956	4 79	.9 in 1976	4	15.87 in 1	1953 4	3.27 in 1999
5	83.3 in 2016	5 80	.0 in 1992	5	15.03 in 1	1992 5	3.86 in 1989
6	83.2 in 2020	6 80	.2 in 2003	6	14.46 in 2	<b>2021</b> 6	3.88 in 1997
	83.2 in 1955	7 80	.4 in 2002	7	13.35 in 1	1985 7	4.18 in 2014
8	83.0 in 1983	80	.4 in 1996	8	13.15 in 1	1970 8	4.48 in 1987
	83.0 in 1963	9 80	.7 in 1986	9	12.97 in 1	1965 9	4.50 in 1973
10	82.9 in 2019	80	.7 in 1949	10	12.63 in 2	2019 10	4.57 in 2001
	82.9 in 2013	80	.7 in 1948				
	82.9 in 1999						
13	82.8 in 2021						

Normal August Temp at INVF1 =  $80.7^{\circ}$ Normal August Rain at INVF1 = 8.69 in.

\_\_\_\_\_

Wa	rmest	Summe	ers	Coc	olest	Sun	nmers		Wet	test :	Sumn	ners		Dri	est Si	ımm∈	ers
1	83.9	in 20	010	1	78.4	in	1994		1	45.89	in	2021		1	14.38	in	1993
2	83.4	in 20	016	2	79.6	in	2003		2	37.83	in	1965		2	14.48	in	1952
3	83.2	in 20	011		79.6	in	1995		3	36.34	in	2003		3	14.73	in	1998
4	83.0	in 19	998	4	79.9	in	1997		4	35.38	in	1996		4	15.10	in	1997
5	82.9	in 20	020	5	80.0	in	2004		5	35.23	in	1949		5	16.47	in	1979
	82.9	in 20	019	6	80.1	in	2018		6	35.17	in	1953		6	17.02	in	1999
7	82.6	in 19	981	7	80.2	in	1991		7	34.33	in	1960		7	17.32	in	1987
	82.6	in 19	969	8	80.3	in	2001		8	34.30	in	1982		8	17.39	in	1972
	82.6	in 19	954		80.3	in	1996		9	34.06	in	2002		9	17.84	in	2006
	82.6	in 19	952		80.3	in	1986	1	. 0	33.99	in	2012	1	0	17.96	in	1956
11	82.4	in 19	963														
	82.4	in 19	958														
13	82.3	in 20	021														
	82.3	in 20	009														
	82.3	in 19	953														

Normal Summer Temp at INVF1 =  $80.4^{\circ}$ Normal Summer Rain at INVF1 = 24.62 in.

\_\_\_\_\_\_

Date: 9/15/2021

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

# BROOKSVILLE AREA (records began in January 1892):

Wa	rmest August's	Co	olest August's	s We	ttest August's	Dri	est August's
1	83.9 in 1926	1	79.1 in 1922	1	23.95 in 1949	1	2.61 in 1955
2	83.8 in 2011		79.1 in 1894	2	20.91 in 1945	2	2.65 in 1958
3	83.5 in 2017	3	79.2 in 1994	3	17.47 in 1905	3	2.68 in 2002
4	83.2 in 1928	4	79.3 in 1932	4	17.13 in 1928	4	2.76 in 1963
5	83.1 in 1927		79.3 in 1892	5	16.34 in 1901	5	3.45 in 1919
6	82.9 in 2013	6	79.5 in 1949	6	14.84 in 1965	6	3.68 in 2009
	82.9 in 1963		79.5 in 1920		14.84 in 1957	7	3.76 in 1916
	82.9 in 1941		79.5 in 1898	8	14.19 in 1995	8	3.88 in 1951
	82.9 in 1933	9	79.6 in 1904	9	13.74 in 1910	9	4.12 in 1976
10	82.8 in 2019	10	79.7 in 1901	10	13.68 in 1939	10	4.15 in 1997
	82.8 in 1909						
12	82.7 in 2021			43	9.44 in 2021	86	9.44 in 2021
	82.7 in 2005						
	82.7 in 1993						

Normal August Temp at BKV =  $81.5^{\circ}$ Normal August Rain at BKV = 8.12 in.

------

Wa	rmest Summers	Coolest	Summers	Wet	ttest Sum	mers	Dr	iest Summers
1	83.6 in 1927	1 78.4	in 1894	1	57.08 in	1945	1	13.03 in 1996
2	82.6 in 2011	2 78.8	in 1920	2	41.37 in	2003	2	13.05 in 1997
3	82.4 in 1928	3 79.0	in 1922	3	41.33 in	1949	3	14.06 in 1979
4	82.3 in 2017	4 79.1	in 1921	4	39.60 in	1943	4	14.34 in 1958
	82.3 in 1981	5 79.3	in 1904	5	38.64 in	1928	5	14.97 in 1931
6	82.2 in 2019	6 79.4	in 1947	6	38.55 in	1906	6	14.99 in 1954
	82.2 in 2010	79.4	in 1946	7	37.96 in	2013	7	15.06 in 1902
	82.2 in 1998	8 79.5	in 1965	8	37.46 in	1905	8	15.56 in 1973
9	82.1 in 2016	79.5	in 1949	9	36.81 in	2012	9	15.84 in 1955
	82.1 in 1939	79.5	in 1919	10	34.93 in	2015	10	15.90 in 1916
11	82.0 in 1899	)						
12	81.9 in 2021			19	32.22 in	2021		

Normal Summer Temp at BKV =  $80.9^{\circ}$ Normal Summer Rain at BKV = 25.44 in

-----

# ST LEO (records began in April 1895):

Warr	mest August's	Со	olest August's	We	ttest August's	Dri	est August's
1 8	84.8 in 2007	1	77.5 in 1922	1	20.16 in 1898	1	2.16 in 1930
2 8	84.7 in 2005	2	79.4 in 1920	2	19.75 in 1901	2	2.72 in 1980
3 8	84.1 in 1900		79.4 in 1913	3	17.60 in 1945	3	2.97 in 1921
4 8	84.0 in 1987	4	79.5 in 1930	4	16.99 in 1979	4	3.05 in 1915
5 8	83.9 in 1941		79.5 in 1919	5	16.26 in 1905	5	3.78 in 1938
6 8	83.7 in 1924		79.5 in 1904	6	16.08 in 1965	6	3.90 in 1941
7 8	83.6 in 2006	7	79.7 in 1992	7	14.97 in 1967	7	4.03 in 1996
8	83.6 in 1983	8	79.8 in 1917	8	14.56 in 1917		4.03 in 1976
8	83.6 in 1951	9	80.1 in 1923	9	14.20 in 1942	9	4.17 in 1924
8	83.6 in 1899		80.1 in 1911	10	13.14 in 1949	10	4.25 in 2005
22 8	82.6 in 2021			77	6.98 in 2021	51	6.98 in 2021
8	82.6 in 1925						
8	82.6 in 1895						

Normal August Temp at STLF1 =  $81.4^{\circ}$ Normal August Rain at STLF1 = 8.28 in.

-----

Wa	rmest	Sur	nmers	Co	olest	Sur	nmers	Wet	ttest S	Sumr	mers	Dr	iest S	ımme	ers
1	84.6	in	1998	1	78.2	in	1922	1	53.02	in	1945	1	12.71	in	1930
2	83.4	in	2005	2	78.5	in	1919	2	43.25	in	1901	2	14.51	in	1958
3	83.2	in	1987	3	78.6	in	1920	3	40.38	in	1934	3	15.09	in	1951
	83.2	in	1900	4	78.8	in	1930	4	37.52	in	2012	4	15.97	in	1987
5	83.0	in	2006	5	78.9	in	1923	5	36.13	in	1898	5	15.98	in	1915
6	82.9	in	1981	6	79.2	in	1904	6	35.05	in	1965	6	16.10	in	1980
	82.9	in	1896	7	79.3	in	1921	7	35.02	in	1943		16.10	in	1902
8	82.8	in	2007	8	79.5	in	1918	8	34.48	in	2002	8	16.20	in	1921
	82.8	in	1924		79.5	in	1910	9	33.33	in	2003	9	16.94	in	1997
10	82.7	in	2009	10	79.6	in	1935	10	32.26	in	1906	10	17.01	in	1952
	82.7	in	1989		79.6	in	1917	11	31.93	in	1905				
	82.7	in	1983		79.6	in	1913	12	31.60	in	1909				
	82.7	in	1897					13	31.52	in	2004				
								14	30.84	in	1947				
36	81.9	in	2021	83	81.9	in	2021	15	30.76	in	2021				
	81.9	in	2001		81.9	in	2001								
	81.9	in	1982		81.9	in	1982								
	81.9	in	1953		81.9	in	1953								
			er Temp er Rain												
NOL.	ma⊥ St	אווווונ	ET Vall	al S	тпст -	- 24	± • /∠ ⊥[]								

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

#### TARPON SPRINGS (records began in January 1892):

Normal August Temp at TRPF1 = 83.3° Normal August Rain at TRPF1 = 9.66 in

\_\_\_\_\_\_

Wa	rmest	Sur	mmers	Cod	olest	Sur	mmers	Wet	ttest S	Sumr	ners	Dr	iest Sı	ımm∈	ers
1	84.5	in	2020	1	79.0	in	1904	1	45.10	in	1909	1	11.64	in	1952
2	84.4	in	2004		79.0	in	1900	2	44.25	in	2012	2	12.65	in	1956
3	84.1	in	1998	3	79.1	in	1894	3	41.21	in	1906	3	12.87	in	1970
4	83.9	in	1993	4	79.4	in	1907	4	37.71	in	1957	4	13.49	in	1916
5	83.8	in	2019	5	79.5	in	1895	5	37.51	in	2015	5	13.64	in	1914
	83.8	in	2016	6	79.6	in	1974	6	37.28	in	2019	6	14.17	in	1980
	83.8	in	2005		79.6	in	1939	7	36.54	in	1943	7	14.80	in	1976
8	83.7	in	1997		79.6	in	1910	8	36.47	in	1939	8	14.90	in	1902
9	83.6	in	2014	9	79.7	in	1908	9	36.17	in	1928	9	15.07	in	1988
	83.6	in	2010	10	79.8	in	1892	10	36.10	in	1945	10	15.17	in	1993
41	82.1	in	2021	81	82.1	in	2021	24	29.76	in	2021	105	29.76	in	2021
	82.1	in	1986		82.1	in	1986								
	82.1	in	1951		82.1	in	1951								
	82.1	in	1941		82.1	in	1941								
	82.1	in	1928		82.1	in	1928								
Normal Summer Temp at TRPF1 = 82.8°															
			er Rain												
TAOTI		A1111111	or italii	uc 11		۷,	J • , , <u> </u>								

\_\_\_\_\_\_

Contact: Paul Close, Paul.Close@noaa.gov

# TAMPA AREA (records began in April 1890):

Wa	rmest August's	Со	olest <i>i</i>	August	's We	ttest A	ugust's	s Dri	est August's
1	85.1 in 2011	1	80.2	in 190	5 1	18.59	in 1949	) 1	0.78 in 1938
	85.1 in 1941	2	80.3	in 196	7 2		in 1898		2.35 in 1952
3	85.0 in 2021		80.3	in 191	3 3	16.47	in 2015	5 3	2.38 in 1921
	85.0 in 2017	4	80.4	in 192	2 4	15.17	in 1932	2 4	2.83 in 2001
5	84.9 in 2007	5	80.5	in 190	1 5	14.90	in 2003	5	3.27 in 1990
6	84.8 in 2020	6	80.6	in 190	4 6	14.66	in 1905	6	3.47 in 1924
7	84.7 in 2005		80.6	in 189	0 7	14.60	in 2018	3 7	3.52 in 2009
8	84.6 in 2019	8	80.7	in 193	9 8	14.29	in 1939	8	3.63 in 1919
9	84.4 in 1951		80.7	in 191	1 9	14.03	in 2004	. 9	3.75 in 1907
10	84.3 in 2014	10	80.8	in 196	9 10	13.75	in 1995	10	3.87 in 1941
	84.3 in 2010		80.8	in 195	7				
			80.8	in 189	8 <b>75</b>	7.43	in 2021	. 58	7.43 in 2021

Normal August Temp at TPA =  $84.0^{\circ}$ Normal August Rain at TPA = 9.03 in

\_\_\_\_\_

Wa	rmest Summers	Coolest	Summers	Wettest Summers		Dr	Driest Summers		
1	84.8 in 2020	1 80.1	in 1910	1	43.03 in 1945	1	11.16 in 1993		
2	84.6 in 2021	2 80.2	in 1955	2	36.13 in 2012	2	13.15 in 1956		
3	84.5 in 2010	80.2	in 1913	3	34.79 in 1909	3	13.25 in 1970		
4	84.4 in 2011	80.2	in 1904	4	34.67 in 1960	4	13.85 in 1978		
5	84.2 in 1998	5 80.3	in 1967	5	34.54 in 2015	5	14.00 in 1977		
6	83.9 in 2018	6 80.4	in 1965	6	33.71 in 1925	6	14.25 in 1918		
	83.9 in 2017	7 80.5	in 1968	7	33.68 in 1896	7	15.05 in 1931		
	83.9 in 2016	80.5	in 1890	8	33.66 in 1995	8	15.65 in 2001		
9	83.8 in 2019	9 80.6	in 1907	9	33.46 in 1957	9	15.73 in 1944		
10	83.4 in 2007	80.6	in 1899	10	33.40 in 2013	10	15.88 in 1952		
		80.6	in 1894						
				31	27.33 in 2021	102	27.33 in 2021		

Normal Summer Temp at TPA =  $83.6^{\circ}$  Normal Summer Rain at TPA = 24.15 in

\_\_\_\_\_\_

# ST PETERSBURG (records began in August 1914):

Warmest August's	Coolest August's	Wettest August's	Driest August's
1 87.5 in 2005	1 80.8 in 1922	1 21.85 in 1939	1 0.82 in 1938
2 85.7 in 2013	2 81.3 in 1939	2 19.57 in 1949	2 2.91 in 1984
3 85.4 in 2017	3 81.4 in 1947	3 18.62 in 1915	3 2.96 in 1941
4 85.3 in 2014	4 81.5 in 1953	4 17.93 in 1967	4 3.21 in 1998
85.3 in 1941	5 81.6 in 1957	5 17.75 in 1995	5 3.33 in 1951
6 85.2 in 2007	6 81.8 in 1995	6 16.65 in 1971	6 3.37 in 1919
7 85.0 in 2010	81.8 in 1994	7 16.53 in 1945	7 3.40 in 1933
85.0 in 1980	81.8 in 1974	8 16.04 in 1922	8 3.66 in 2005
9 84.8 in 2021	81.8 in 1917	9 15.49 in 2016	9 3.67 in 1996
84.8 in 2020	10 81.9 in 2016	10 15.33 in 1947	10 4.30 in 1914
84.8 in 1987	81.9 in 1967		• • •
	81.9 in 1949	66 6.64 in 2021	43 6.64 in 2021

Normal Temp August at SPG =  $84.0^{\circ}$ Normal August Rain at SPG = 8.39 in.

\_\_\_\_\_\_

Wa	rmest S	ummers	Cod	olest	Sun	nmers	Wet	test S	Sumn	ners	Dr	iest Sı	ımm∈	ers
1	85.7 i	n 2005	1	80.9	in	1922	1	47.62	in	1945	1	10.52	in	1931
2	85.6 i	n 2010	2	81.1	in	1974	2	45.31	in	1939	2	11.17	in	1984
3	84.6 i	n 1988		81.1	in	1955	3	40.99	in	1995	3	11.48	in	1970
4	84.5 i	n 2020	4	81.2	in	1947	4	38.08	in	1943	4	12.32	in	1930
	84.5 i	n 2017	5	81.4	in	1920	5	36.66	in	1947	5	12.39	in	1916
	84.5 i	n 1998	6	81.6	in	1995	6	35.03	in	2016	6	13.10	in	1996
7	84.3 i	n 2013		81.6	in	1923	7	35.00	in	1922	7	13.14	in	1993
8	84.3 i	n 1980		81.6	in	1919	8	34.49	in	1974	8	14.18	in	1941
9	84.1 i	n 2014	9	81.7	in	1968	9	33.26	in	1959	9	14.31	in	1966
	84.1 i	n 1973		81.7	in	1965	10	32.62	in	1971	10	14.99	in	1951
11	84.0 i	n 2021		81.7	in	1956								
	84.0 i	n 2018		81.7	in	1953	84	17.01	in	2021	23	17.01	in	2021
	84.0 i	n 2011		81.7	in	1917								

Normal Summer Temp at SPG = 83.5° Normal Summer Rain at SPG = 22.67 in.

\_\_\_\_\_\_

**PLANT CITY** (Temperature records began in September 1892 and Rainfall records began in February 1893):

Warmest August's	Coolest August's	Wettest August's	Driest August's			
1 85.6 in 2017	1 78.7 in 1930	1 17.79 in 2004	1 1.87 in 1902			
2 85.4 in 2021	2 79.1 in 1907	2 17.48 in 1953	2 2.44 in 1960			
85.4 in 2020	3 79.6 in 1939	3 17.17 in 1949	3 3.62 in 1912			
4 84.6 in 2018	79.6 in 1906	4 16.43 in 2019	4 3.88 in 2021			
5 84.3 in 2011	5 79.7 in 1931	5 15.69 in 1906	5 3.96 in 1938			
6 84.1 in 2019	6 79.9 in 1905	6 15.06 in 1898	6 3.98 in 1996			
7 83.9 in 2007	7 80.1 in 2000	7 14.96 in 1939	7 4.08 in 1954			
83.9 in 1980	8 80.2 in 1933	8 14.04 in 1967	8 4.29 in 1991			
9 83.7 in 2016	80.2 in 1911	9 13.95 in 1979	9 4.58 in 1997			
83.7 in 2005	10 80.3 in 1973	10 13.92 in 1908	10 4.76 in 1914			
	80.3 in 1967					
	80.3 in 1904					

Normal Temp August at PLCF1 =  $83.6^{\circ}$  Normal Rain Aug at PLCF1 = 8.85 in.

-----

Warmest Summers		Cod	Coolest Summers		Wet	Wettest Summers			Dr	Driest Summers				
1	85.1 i	n 2020	1	79.7	in	1919	1	41.73	in	1943	1	14.60	in	1956
2	84.6 i	n 2021	2	79.8	in	1923	2	40.04	in	1910	2	14.98	in	1915
	84.6 i	n 2017	3	79.9	in	1921	3	39.69	in	1945	3	15.23	in	1989
4	84.5 i	n 2019		79.9	in	1920	4	39.40	in	2004	4	15.34	in	1993
5	84.1 i	n 2018	5	80.2	in	1967	5	38.91	in	2019	5	15.36	in	1961
6	84.0 i	n 2016		80.2	in	1947	6	38.77	in	2017	6	15.52	in	1952
7	83.4 i	n 2010		80.2	in	1930	7	37.53	in	1939	7	16.01	in	1951
8	83.3 i	n 1981	8	80.3	in	1966	8	36.18	in	1925	8	17.02	in	1970
9	83.1 i	n 2011		80.3	in	1965	9	36.08	in	1906	9	17.30	in	1988
10	82.7 i	n 1998	10	80.4	in	1974	10	35.94	in	1905	10	17.39	in	1987
				80.4	in	1968								
				80.4	in	1929	58	24.94	in	2021	63	24.94	in	2021

Normal Summer Temp at PLCF1 = 83.2° Normal Summer Rain at PLCF1 = 27.21 in.

\_\_\_\_\_

# **LAKELAND** (records began in January 1915):

Warmest August's	Coolest August's	Wettest August's	Driest August's			
1 85.1 in 1987	1 80.0 in 1967	1 15.57 in 1948	1 3.40 in 1942			
2 84.6 in 1995	2 80.5 in 1973	2 15.19 in 2010	2 3.58 in 1921			
3 84.4 in 2021	80.5 in 1949	3 14.15 in 1935	3 3.65 in 1947			
84.4 in 1989	4 80.6 in 1939	4 13.49 in 1915	4 3.73 in 1930			
5 84.3 in 2020	80.6 in 1923	5 12.63 in 2019	5 3.89 in 1950			
84.3 in 2011	80.6 in 1920	6 12.52 in 2004	6 3.98 in 1960			
84.3 in 2010	7 80.8 in 1969	7 12.23 in 2015	7 4.22 in 2021			
8 84.1 in 2017	80.8 in 1957	8 11.97 in 1928	8 4.56 in 1982			
9 83.9 in 2016	9 80.9 in 1959	9 11.93 in 1949	9 4.61 in 1934			
83.9 in 2005	10 81.0 in 1953	10 11.37 in 2016	10 4.68 in 1970			
83.9 in 1993	81.0 in 1922					

Normal Temp August at LLDF1 = 83.3° Normal Rain Aug at LLDF1 = 9.08 in.

\_\_\_\_\_

Warmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1 84.6 in 2010 2 84.4 in 1987 3 84.0 in 2016	1 79.7 in 1919 2 79.8 in 1923 3 79.9 in 1921	1 43.60 in 2017 2 36.50 in 2015 3 34.42 in 2019	1 13.76 in 1958 2 13.88 in 1998 3 13.96 in 1918
4 83.8 in 2020 83.8 in 1998	79.9 in 1920 5 80.2 in 1967	4 33.76 in 2013 5 33.29 in 1994	4 14.67 in 1972 5 15.35 in 1936
83.8 in 1989	80.2 in 1947	6 32.40 in 2005	6 15.51 in 1931
7 83.6 in 1995	80.2 in 1930	7 32.12 in 1968	7 16.05 in 1950
8 83.5 in 2021	8 80.3 in 1966	8 31.87 in 2001	8 16.71 in 1942
83.5 in 2019	80.3 in 1965	9 31.78 in 1948	9 16.92 in 1954
83.5 in 2011	10 80.4 in 1974	10 31.59 in 1995	10 16.95 in 1921
83.5 in 1993	80.4 in 1968		
	80.4 in 1929	55 22.52 in 2021	53 22.52 in 2021

Normal Summer Temp at LLDF1 =  $82.8^{\circ}$ Normal Summer Rain at LLDF1 = 26.62 in.

\_\_\_\_\_\_

# WINTER HAVEN AREA (records began in March 1941):

Wa	rmest August's	Coole	st August's	We	ttest August's	Driest August's			
1	85.6 in 1989	1 80	.0 in 1972	1	14.59 in 1949	1	1.78 in 1960		
2	85.3 in 2005	2 80	.4 in 1971	2	12.76 in 1977	2	1.88 in 1998		
3	85.0 in 2020	80	.4 in 1967	3	12.21 in 1952	3	2.04 in 1980		
4	84.9 in 2019	4 80	.6 in 1957	4	11.94 in 1992	4	2.63 in 1942		
	84.9 in 2007	5 80	.8 in 1969	5	11.78 in 1995	5	2.80 in 2005		
	84.9 in 1941	80	.8 in 1959	6	11.39 in 1981	6	3.09 in 1954		
7	84.7 in 2011	7 80	.9 in 1968		11.39 in 1957	7	3.65 in 1970		
8	84.6 in 1998	8 81	.0 in 1982	8	11.25 in 1948	8	3.73 in 1955		
9	84.5 in 1951	81	.0 in 1962	9	11.22 in 2011	9	3.88 in 2021		
10	84.4 in 2021	10 81	.1 in 2008	10	10.83 in 2008	10	3.96 in 1945		
	84.4 in 2010	81	1 in 1990		10.83 in 1984				

Normal Temp August at GIF = 84.1° Normal Rain Aug at GIF = 6.52 in.

\_\_\_\_\_

Warm	est Summers	Со	olest Summers	We	ttest Summers	Dr	iest Summers
1 8	4.8 in 1989	1	79.4 in 1968	1	34.98 in 1949	1	9.33 in 1999
2 8	4.7 in 2019	2	79.7 in 1972	2	34.87 in 1945	2	12.07 in 1980
8	4.7 in 2010		79.7 in 1971	3	32.95 in 1992	3	12.14 in 1998
8	4.7 in 1998	4	80.0 in 1974	4	32.77 in 1995	4	14.37 in 1963
5 8	4.4 in 2016	5	80.4 in 1967	5	30.66 in 1981	5	14.62 in 1997
6 8	4.3 in 2020	6	80.7 in 1963	6	30.57 in 2015	6	14.88 in 1972
7 8	3.7 in 2005		80.7 in 1962	7	30.08 in 1948	7	14.98 in 2009
8 8	3.5 in 2021	8	80.8 in 1965	8	29.77 in 1974	8	15.10 in 1979
9 8	3.3 in 2018	9	80.9 in 1959	9	29.75 in 2019	9	16.02 in 1964
8	3.3 in 2017	10	81.0 in 1966	10	28.69 in 1965	10	16.27 in 1996
8	3.3 in 2015						
8	3.3 in 2007			46	19.76 in 2021	29	19.76 in 2021
8	3.3 in 1985						

Normal Summer Temp at GIF = 83.8° Normal Summer Rain at GIF = 21.32 in.

\_\_\_\_\_\_

#### BARTOW (records began in June 1892):

Normal Temp August at BARF1 =  $82.3^{\circ}$  Normal Rain Aug at BARF1 = 7.78 in.

------

Wa	Warmest Summers		mers	Coolest		Summers		Wettest Summers			Driest Summers				
1	85.6	in	2014	1	79.0	in	1894	1	36.81	in	2003	1	13.22	in	1964
2	84.8	in	1998	2	79.4	in	1913	2	36.13	in	1909	2	13.28	in	1950
3	84.5	in	2013	3	79.8	in	1892	3	35.84	in	2012	3	14.92	in	1931
4	83.9	in	2010	4	79.9	in	1947	4	35.15	in	1924	4	15.39	in	1996
5	83.7	in	1987	5	80.3	in	1936	5	35.01	in	1939	5	15.47	in	1979
6	83.3	in	2016		80.3	in	1916	6	34.85	in	1949	6	15.56	in	1902
	83.3	in	1969	7	80.4	in	1976	7	34.31	in	2005	7	15.67	in	1987
8	83.2	in	1981		80.4	in	1974	8	34.14	in	1945	8	15.97	in	2007
	83.2	in	1958		80.4	in	1972	9	33.82	in	1934	9	16.40	in	2014
10	83.1	in	2011		80.4	in	1935	10	33.42	in	1928	10	16.42	in	1936
34	82.3	in	2021	79	82.3	in	2021	54	25.02	in	2021	71	25.02	in	2021
	82.3	in	1991		82.3	in	1991								
	82.3	in	1983		82.3	in	1983								
	Normal Summer Temp at BARF1 = 81.9° Normal Summer Rain at BARF1 = 23.62 in.														

\_\_\_\_\_\_

Contact: Paul Close, Paul.Close@noaa.gov

# SARASOTA-BRADENTON (records began in January 1911):

Wa	Warmest August's		Coolest		August's		Wettest August's			ıst's	Driest August's				
1	85.2	in	2020	1	79.6	in	1911	1	24.42	in	1981	1	2.51	in	1938
2	85.0	in	2014	2	79.9	in	1947	2	20.97	in	2017	2	2.52	in	1930
3	84.7	in	2016		79.9	in	1922	3	19.97	in	1959	3	3.09	in	1944
4	84.5	in	2011	4	80.0	in	1939	4	19.73	in	1949	4	3.10	in	1952
5	84.2	in	2007	5	80.3	in	1967	5	19.35	in	1922	5	3.11	in	2001
6	83.9	in	1995		80.3	in	1931	6	18.14	in	1928	6	3.20	in	1996
7	83.8	in	2005		80.3	in	1927	7	17.79	in	2003	7	3.91	in	2008
8	83.7	in	1990	8	80.4	in	1930	8	17.63	in	1999	8	3.93	in	1963
	83.7	in	1987		80.4	in	1916	9	17.04	in	1939	9	3.96	in	1984
10	83.6	in	2019	10	80.5	in	1934	10	15.92	in	1962	10	3.97	in	2014
	83.6	in	1998		80.5	in	1929								
12	83.4	in	2021					42	9.33	in	2021	70	9.33	in	2021
	83.4	in	2010												
	83.4	in	2009												
	83.4	in	1989												

Normal Temp August at SRQ =  $83.4^{\circ}$  Normal Rain Aug at SRQ = 9.11 in.

-----

Wa	rmest	Summers	Co	olest	Summers	We	ttest Sur	nmers	Dr	iest Sum	nmers
1	84.6	in 2020	1	78.9	in 1947	1	45.69 in	n 1943	1	11.09 i	in 1930
2	84.5	in 2016		78.9	in 1913	2	41.23 in	n 2017	2	11.20 i	in 1998
3	83.9	in 1998	3	79.4	in 1911	3	41.08 in	n 1912	3	11.94 i	in 1944
4	83.6	in 2014	4	79.5	in 1930	4	39.63 in	n 1992	4	12.48 i	in 1951
5	83.4	in 2010	5	79.7	in 1976	5	38.29 in	n 1922	5	12.66 i	in 2007
6	83.2	in 2019		79.7	in 1916	6	38.23 in	n 1945	6	12.75 i	in 1952
7	83.0	in 2011	7	79.8	in 1929	7	37.73 in	n 1939	7	13.10 i	in 2014
8	82.9	in 2021	8	79.9	in 1974	8	35.21 in	n 1959	8	13.12 i	in 1948
9	82.8	in 1984		79.9	in 1931	9	35.12 in	n 1981	9	14.67 i	in 2009
10	82.7	in 2009	10	80.0	in 1922	10	33.86 in	n 1928	10	14.80 i	in 1914
	82.7	in 2007									
	82.7	in 1993				28	28.91 in	n 2021	83	28.91 i	in 2021
	82.7	in 1990									
	82.7	in 1989									

Normal Summer Temp at SRQ =  $82.8^{\circ}$ Normal Summer Rain at SRQ = 23.55 in.

\_\_\_\_\_

# **VENICE** (records began in May 1955):

Wa	rmest Au	gust's	Coc	olest	Auc	gust's	Wet	test A	Augu	ıst's	Dri	est Au	ıgus	st's
1	86.0 in	2010	1	80.5	in	1975	1	20.18	in	2017	1	2.96	in	2007
2	85.4 in	2011		80.5	in	1967	2	16.77	in	1981	2	3.00	in	2005
	85.4 in	2009	3	80.6	in	1968	3	16.47	in	1967	3	3.04	in	1955
4	84.8 in	2012	4	80.9	in	1976	4	15.76	in	1999	4	3.10	in	2014
5	84.7 in	1998	5	81.0	in	1959	5	13.69	in	1974	5	3.21	in	1997
6	84.5 in	1988	6	81.1	in	1969	6	13.41	in	1971	6	3.25	in	1990
7	84.4 in	2019	7	81.2	in	1974	7	13.11	in	1970	7	3.28	in	1958
8	84.2 in	1997		81.2	in	1957	8	12.94	in	2016	8	3.49	in	1984
9	84.1 in	2013	9	81.4	in	1958	9	12.56	in	1959	9	3.51	in	1956
	84.1 in	2005	10	81.5	in	1977	10	11.72	in	1977	10	4.06	in	1963
26	82.6 in		33	82.6			25	8.63	in	2021	43	8.63	in	2021
	82.6 in	2000		82.6	in	2000								

Normal Temp August at VNCF1 = 83.1° Normal Rain Aug at VNCF1 = 8.34 in.

\_\_\_\_\_

Wa	rmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1	86.2 in 2010	1 80.3 in 1975	1 38.01 in 1995	1 11.65 in 2014
2	85.1 in 1998	2 80.4 in 1974	2 37.89 in 2017	2 12.14 in 1990
3	84.7 in 2011	3 80.5 in 1967	3 37.79 in 1992	3 12.88 in 1997
4	84.0 in 2019	4 80.7 in 1984	4 36.76 in 1974	4 13.54 in 1956
5	83.9 in 2012	80.7 in 1966	5 36.72 in 2003	5 13.56 in 1979
6	83.8 in 2020	6 80.8 in 1956	6 32.82 in 1999	6 13.72 in 2007
7	83.5 in 1997	7 80.9 in 1978	7 32.69 in 2012	7 13.77 in 1955
8	83.3 in 2013	8 81.0 in 2008	8 30.31 in 2005	8 14.13 in 2009
	83.3 in 2004	81.0 in 1972	9 29.35 in 1987	9 14.26 in 1985
	83.3 in 1993	81.0 in 1959	10 29.34 in 1959	14.26 in 1980
	82.1 in 2021			
26		30 82.1 in 2021	22 23.65 in 2021	42 23.65 in 2021

Normal Summer Temp at VNCF1 = 82.5° Normal Summer Rain at VNCF1 = 23.54 in.

\_\_\_\_\_

# MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Wa	rmest August's	Coolest	August's	We	ttest August's	Dri	est August's
1	86.7 in 1993	1 80.4	l in 1962	1	19.85 in 1981	1	2.81 in 2005
2	85.0 in 1998	2 80.5	in 1959	2	18.61 in 1971	2	3.44 in 1991
3	84.8 in 2017	80.5	in 1957	3	18.45 in 2003	3	3.94 in 2001
4	84.3 in 2005	4 80.9	n 2002	4	17.18 in 2016	4	5.05 in 1974
	84.3 in 1999	80.9	n 1972	5	16.85 in 2018	5	5.17 in 1976
6	84.1 in 2011	80.9	) in 1971	6	16.60 in 1949	6	5.32 in 1996
7	84.0 in 2019	7 81.1	in 1985	7	15.99 in 1980	7	5.33 in 1944
	84.0 in 2016	8 81.3	3 in 2001	8	15.66 in 1999	8	5.35 in 1956
	84.0 in 2010	81.3	3 in 1969	9	15.62 in 1988	9	5.48 in 1948
10	83.9 in 1997	81.3	3 in 1963	10	14.54 in 1965	10	5.58 in 1989
37	82.0 in 2021	20 82.0	) in 2021	40	8.12 in 2021	37	8.12 in 2021

Normal Temp August at MKCF1 =  $83.1^{\circ}$  Normal Rain Aug at MKCF1 = 10.12 in.

\_\_\_\_\_

Wa	rmest Summers	Coolest S	Summers	Wettest Summers	Driest Summers
1	85.0 in 1998		in 1962	1 47.18 in 2003	1 13.38 in 1956
2	84.0 in 2010	2 80.1 i	in 1959	2 46.76 in 2017	2 16.52 in 1996
3	83.5 in 2017	3 80.3 i	in 1984	3 46.32 in 1995	3 17.03 in 1948
4	83.4 in 2016	80.3 i	in 1974	4 43.79 in 1981	4 17.41 in 1961
5	83.3 in 2019	5 80.5 i	in 1972	5 41.67 in 1965	5 17.42 in 2009
	83.3 in 1999	80.5 i	in 1963	6 40.81 in 2012	6 18.65 in 1952
7	83.2 in 2018	7 80.6 i	in 2002	7 40.58 in 1982	7 19.68 in 1944
	83.2 in 1993	80.6 i	in 1986	8 40.14 in 1992	8 20.18 in 1986
9	83.1 in 2005	80.6 i	in 1971	9 37.94 in 1968	9 20.32 in 1954
	83.1 in 1997	80.6 i	in 1960 1	10 37.52 in 2013	10 20.37 in 1964
				• • •	• • •
35	81.2 in 2021	18 81.2 i	in 2021 3	37 26.21 in 2021	40 26.21 in 2021

Normal Summer Temp at MKCF1 = 82.3° Normal Summer Rain at MKCF1 = 29.88 in.

\_\_\_\_\_\_

# WAUCHULA 2 N (records began in January 1933):

Wa	rmest August's	Coolest August	's Wettest August's	Driest August's
1	85.4 in 2009	1 77.7 in 195	1 15.53 in 1949	1 2.66 in 1982
2	85.2 in 2007	2 80.1 in 195	3   2   14.17   in   2010	2 2.97 in 1938
3	84.2 in 1941	3 80.3 in 200	3 14.04 in 2015	3 3.30 in 1958
4	83.6 in 1993	4 80.4 in 193	9 4 13.68 in 1939	4 3.67 in 2005
5	83.5 in 1989	5 80.5 in 196	5 12.76 in 1992	5 3.75 in 1957
	83.5 in 1987	6 80.7 in 200	6   12.54   in 1943	6 4.17 in 1965
7	83.4 in 2005	80.7 in 199	7 12.46 in 1953	7 4.24 in 1970
8	83.3 in 2016	80.7 in 194	9 8 12.28 in 2003	8 4.48 in 2009
	83.3 in 1983	9 80.8 in 195	9	9 4.52 in 1933
10	83.2 in 2008	80.8 in 194	7 10 11.45 in 2016	10 4.59 in 1941
				• • •
17	<b>82.7 in 2021</b> 82.7 in 1964		48 7.04 in 2021	42 7.04 in 2021

Normal Temp August at WAUF1 = 82.3° Normal Rain Aug at WAUF1 = 8.46 in.

\_\_\_\_\_

Wa	rmest	Summers	Coc	olest	Sur	mmers	We	ttest S	Sumr	mers	Dr	iest Sı	ımm∈	ers
1	84.6	in 2009	1	78.3	in	1950	1	43.85	in	1939	1	14.24	in	1999
2	83.2	in 2008	2	79.9	in	2012	2	39.39	in	1943	2	14.30	in	1964
	83.2	in 1993		79.9	in	1955	3	38.22	in	1949	3	14.60	in	2000
4	82.9	in 1998	4	80.0	in	1947	4	37.38	in	1953	4	14.65	in	1958
	82.9	in 1987	5	80.1	in	1996	5	35.80	in	2017	5	15.13	in	1952
6	82.7	in 2016		80.1	in	1956	6	34.17	in	1959	6	16.05	in	1998
	82.7	in 2007	7	80.2	in	2013	7	34.14	in	1945	7	16.30	in	2018
8	82.6	in 1942		80.2	in	2000	8	32.94	in	1974	8	16.51	in	1996
9	82.5	in 1969		80.2	in	1953	9	32.53	in	1968	9	16.97	in	1957
10	82.4	in 2017		80.3	in	1976	10	30.58	in	2013	10	17.21	in	1981
	82.4	in 1992		80.3	in	1965								
	82.4	in 1989					33	26.49	in	2021	51	26.49	in	2021
28		in 2021	47			2021								
	81.7	in 1991		81.7	in	1991								
	81.7	in 1978		81.7	in	1978								
	81.7	in 1977		81.7	in	1977								
	81.7	in 1945		81.7	in	1945								
	81.7	in 1943		81.7	in	1943								
Nor	mal Sı	ummer Temp	o at WA	AUF1 =	= 81	1.6°								
		ımmer Raii												

Contact: Paul Close, <u>Paul.Close@noaa.gov</u>

#### ARCADIA (records began in November 1899):

Wa	Warmest August's		olest August's	We	ettest August's	Driest August's			
1	83.9 in 1919	1	78.5 in 1992	1	19.54 in 2004	1	2.37 in 1996		
	83.9 in 1917	2	79.3 in 1971	2	18.24 in 1908	2	2.95 in 1938		
3	83.6 in 1951	3	80.2 in 1994	3	17.41 in 1967	3	3.31 in 1991		
4	83.5 in 1915		80.2 in 1963	4	16.22 in 1949	4	3.36 in 2007		
5	83.4 in 1941		80.2 in 1947	5	15.72 in 2011	5	3.46 in 1934		
6	83.3 in 1990		80.2 in 1913	6	15.40 in 2017	6	3.67 in 1999		
7	83.2 in 2005	7	80.3 in 1989	7	13.89 in 1925	7	3.84 in 1989		
8	83.1 in 2020	8	80.4 in 1967	8	13.57 in 1981	8	4.01 in 1954		
	83.1 in 2011	9	80.5 in 1996	9	13.56 in 2008	9	4.31 in 1923		
10	83.0 in 2014	10	80.6 in 2003	10	13.55 in 1994	10	4.40 in 1915		
	83.0 in 1954		80.6 in 1976						
	83.0 in 1902								

Average Temperature for August 2021 = Not Available Yet Normal Temp August at ARCF1 =  $81.6^{\circ}$ 

Total Rainfall for August 2021 = Not Available Yet Normal Rain Aug at ARCF1 = 8.93 in.

-----

Warmest Summers		Coolest Summers	Wettest Summers	Driest Summers			
1	82.8 in 1998	1 79.3 in 1971	1 38.22 in 2013	1 12.83 in 1931			
2	82.7 in 1927	2 79.7 in 1976	2 37.99 in 1982	2 13.07 in 1932			
3	82.6 in 2010	3 79.9 in 1992	3 37.67 in 2017	3 13.33 in 1921			
	82.6 in 1981	79.9 in 1970	4 36.98 in 1974	4 13.61 in 1980			
5	82.5 in 1919	79.9 in 1968	5 36.14 in 1949	5 14.14 in 1976			
	82.5 in 1902	79.9 in 1963	6 35.56 in 1967	6 14.15 in 1996			
7	82.3 in 2020	79.9 in 1947	7 35.17 in 2001	7 14.41 in 1955			
	82.3 in 1942	79.9 in 1938	8 34.99 in 1939	8 14.59 in 1961			
9	82.2 in 2016	9 80.0 in 1996	9 34.77 in 1965	9 14.60 in 1956			
10	82.1 in 1952	80.0 in 1910	10 34.57 in 2015	10 15.21 in 2020			
	82.1 in 1914						

Average Temperature for Summer 2021 = Not Available Yet Normal Summer Temp at ARCF1 =  $81.0^{\circ}$ 

Total Rainfall for Summer 2021 = Not Available Yet Normal Summer Rain at ARCF1 = 26.67 in.

\_\_\_\_\_\_

# ARCHBOLD BIO STN (records began in January 1969):

Warmest August's		Cod	Coolest August's			Wet	ttest A	ıst's	Driest August's						
1	83.6	in	2016	1	79.7	in	1994	1	20.05	in	2006	1	1.94	in	2000
2	83.4	in	2020	2	79.9	in	1971	2	17.88	in	2004	2	2.71	in	1984
3	83.3	in	2010	3	80.0	in	1984	3	14.31	in	1999	3	2.75	in	2009
4	82.9	in	2017	4	80.1	in	1974	4	13.70	in	2010	4	3.14	in	2007
5	82.8	in	2014	5	80.2	in	1973	5	12.76	in	1979	5	3.50	in	1987
6	82.7	in	2015	6	80.3	in	1976	6	12.33	in	2008	6	4.24	in	1970
	82.7	in	2011		80.3	in	1972	7	12.12	in	1992	7	4.28	in	1993
8	82.5	in	2005	8	80.4	in	2003	8	11.35	in	2015	8	4.40	in	1997
9	82.4	in	2009		80.4	in	2000	9	11.22	in	2012	9	4.50	in	2020
	82.4	in	1987	10	80.6	in	2002	10	10.80	in	2002	10	4.55	in	2014
11	82.3	in	1969												
12	82.1	in	1998					24	8.05	in	2021	30	8.05	in	2021
13	82.0	in	2021												
	82.0	in	2019												
	82.0	in	2018												
	82.0	in	1995												
	82.0	in	1980												

Normal Temp August at ACHF1 =  $82.1^{\circ}$  Normal Rain Aug at ACHF1 = 8.49 in.

\_\_\_\_\_

Warmest		Summers	Cod	Coolest		Summers		ttest S	Sumr	mers	Di	riest S	umme	ers
1	83.3	in 2010	1	78.8	in	1984	1	41.24	in	1974	1	10.76	in	2000
2	82.9	in 2016	2	79.3	in	1976	2	40.51	in	2002	2	11.29	in	1987
3	82.5	in 2017		79.3	in	1974	3	39.46	in	2013	3	13.75	in	1980
4	82.1	in 2020	4	79.4	in	1971	4	34.04	in	2006	4	14.20	in	1998
	82.1	in 1998	5	79.8	in	1973	5	34.02	in	2008	5	17.45	in	1997
6	82.0	in 2015		79.8	in	1972	6	33.94	in	2001	6	18.50	in	2009
7	81.9	in 2019	7	79.9	in	2008	7	33.72	in	2004	7	18.57	in	2007
8	81.8	in 1969		79.9	in	1994	8	32.56	in	1992	8	19.23	in	1985
9	81.6	in 2018	9	80.0	in	2002	9	31.74	in	1986	9	19.49	in	1983
	81.6	in 2011		80.0	in	1970	10	31.01	in	2012	10	19.78	in	1972
	81.6	in 1987												
12	81.4	in 1981					19	25.40	in	2021	35	25.40	in	2021
13	81.3	in 2021												
	81.3	in 2009												
	81.3	in 1991												

Normal Summer Temp at ACHF1 =  $81.4^{\circ}$ Normal Summer Rain at ACHF1 = 25.68 in.

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

# PUNTA GORDA AREA (records began in May 1914):

Wa	rmest August's	Cooles	t August's	We	ttest A	ugust	's Di	riest Au	ıgus	st's
1	85.1 in 1951	1 79.	8 in 1939	1	19.56	in 19	28 1	1.86	in	1927
2	84.7 in 2014	2 80.	3 in 1922	2	15.60	in 19	95 2	2.07	in	1938
3	84.5 in 2020	3 80.	6 in 1969	3	14.01	in 19	22 3	2.78	in	1936
	84.5 in 1987	4 80.	8 in 1949	4	13.75	in 20	09 4	3.36	in	1976
5	84.4 in 2011	5 80.	9 in 1967	5	13.47	in 20	17 5	3.41	in	1997
6	84.3 in 2005	80.	9 in 1930	6	13.42	in 19	49 6	3.50	in	1984
7	84.2 in 2018	7 81.	0 in 1955	7	13.03	in 19	59 7	3.55	in	1952
	84.2 in 2007	81.	0 in 1929	8	12.45	in 19	67 8	3.82	in	1978
9	84.1 in 2021	81.	0 in 1928	9	12.37	in 20	18 9	3.93	in	1955
10	83.9 in 2009	81.	0 in 1926	10	11.54	in 19	47 10	4.02	in	1943
								4.02	in	1921
							• • •			
				34	8.86	in 20	21 72	8.86	in	2021

Normal Temp August at PGD =  $83.5^{\circ}$  Normal Rain Aug at PGD = 9.11 in.

------

Wa	rmest Summers	Coolest Summers	Wettest Summers	Driest Summers
1	84.2 in 2020	1 79.8 in 1929	1 47.45 in 1943	1 9.88 in 1921
2	84.0 in 2018	2 80.3 in 1939	2 43.12 in 2017	2 13.96 in 1932
3	83.9 in 1951	3 80.4 in 1955	3 41.80 in 1912	3 14.17 in 1920
4	83.7 in 2010	80.4 in 1949	4 38.16 in 1992	4 14.88 in 1927
5	83.6 in 2016	5 80.5 in 1971	5 37.93 in 1922	5 15.05 in 1955
6	83.5 in 1980	80.5 in 1938	6 37.24 in 1945	6 15.12 in 1979
7	83.4 in 2014	7 80.6 in 1930	7 34.55 in 2021	7 15.24 in 1956
	83.4 in 2011	80.6 in 1925	8 33.90 in 1939	8 15.43 in 1952
9	83.3 in 1987	80.6 in 1922	9 33.81 in 1959	9 15.75 in 1990
10	83.2 in 2021	10 80.8 in 1974	10 33.24 in 1981	10 15.94 in 2007
	83.2 in 2009	80.8 in 1967		
		80.8 in 1928		

Normal Summer Temp at PGD = 82.8° Normal Summer Rain at PGD = 26.41 in.

\_\_\_\_\_\_

#### FORT MYERS AREA (records began in January 1902):

Wa	rmest .	August's	Cod	olest	Aug	gust's	Wet	ttest <i>P</i>	Augu	ıst's	Dr	iest Au	ıgus	st's
1	84.8	in 1987	1	79.6	in	1906	1	17.64	in	1932	1	3.12	in	1919
2	84.4	in 2014		79.6	in	1904	2	16.95	in	2017	2	3.14	in	1927
	84.4	in 2005	3	79.7	in	1910	3	16.82	in	2004	3	3.55	in	1934
	84.4	in 1985	4	79.8	in	1908	4	16.80	in	2003	4	3.97	in	1902
5	84.3	in 1995	5	80.0	in	1913	5	16.73	in	1981	5	3.98	in	1963
	84.3	in 1981	6	80.4	in	1911	6	16.22	in	1972	6	4.07	in	1996
	84.3	in 1979		80.4	in	1909	7	15.86	in	1967	7	4.12	in	1958
8	84.2	in 2010	8	80.5	in	1917	8	14.97	in	1990	8	4.26	in	1964
	84.2	in 2007	9	80.6	in	1922	9	14.81	in	1926	9	4.29	in	1955
10	84.1	in 2012		80.6	in	1907	10	14.79	in	1979	10	4.32	in	1953
	84.1	in 1990										4.32	in	1924
12	84.0	in 2021												
	84.0	in 2020					32	10.72	in	2021	89	10.72	in	2021
	84.0	in 2017												
	84.0	in 2011												
	84.0	in 1996												
	84.0	in 1991												
	84.0	in 1980												
	84.0	in 1951												

Normal Temp August at FMY =  $83.4^{\circ}$  Normal Rain Aug at FMY = 10.43 in.

\_\_\_\_\_

Wa	rmest Summers	Coolest	Summers	We	ttest Summers	Dri	iest Summers
1	85.3 in 1981	1 79.1	in 1904	1	42.27 in 1974	1	11.12 in 1964
2	84.6 in 2010	2 79.2	in 1910	2	42.24 in 2004	2	14.71 in 1944
3	84.2 in 1979	3 79.7	in 1908	3	41.55 in 1912	3	15.74 in 1963
4	84.0 in 1998	4 79.8	in 1906	4	40.57 in 2017	4	16.67 in 1956
5	83.9 in 1987	5 80.0	in 1913	5	40.01 in 1995	5	17.03 in 1970
	83.9 in 1980	6 80.1	in 1917	6	38.76 in 2005	6	17.20 in 1902
7	83.7 in 2021	7 80.2	in 1903	7	37.58 in 2006	7	17.56 in 1931
	83.7 in 2016	80.2	in 1907	8	36.90 in 1982	8	17.60 in 1950
9	83.6 in 2020	80.2	in 1909	9	36.89 in 1943	9	17.80 in 1980
	83.6 in 1990	10 80.4	in 1918	10	36.76 in 1981	10	17.90 in 2014
	83.6 in 1942						
				29	31.16 in 2021	92	31.16 in 2021
Mora	mal Cummar Tomp	at EMV -					

Normal Summer Temp at FMY =  $83.0^{\circ}$ Normal Summer Rain at FMY = 29.47 in.

For more Climate information visit our web site at the following link: https://www.weather.gov/tampabay and then go to the Climate and Past Weather drop down menu above the graphical forecast images.